NR 5/10.1 / 1893-94 C.1 pt.2

Reports

State of Colorado

of the

State Engineer

(C. B. Cramer)

for

1893, 1894

MAPS

Digitized by the Internet Archive in 2013

SEVENTH BIENNIAL REPORT

OF THE

STATE ENGINEER

TO THE

Governor of Colorado,

FOR THE

YEARS 1893 AND 1894.

PART II.

DENVER, COLO.: THE SMITH-BROOKS PRINTING CO., STATE PRINTERS. 1804.

LETTER OF TRANSMITTAL.

DENVER, COLORADO, December 1, 1894.

Governor:

I have the honor to transmit herewith, in Parts I. and II., the report of the transactions of the Department of the State Engineer, for the two fiscal years ending November 30, 1894.

I am, sir, respectfully,

Your obedient servant,

CHAS. B. CRAMER,

State Engineer.

To His Excellency,

DAVIS H. WAITE,

Governor of Colorado.


TABLE OF CONTENTS.

PART II.

	PLATE
Drainage map of Colorado (showing water divisions and water districts)	I
Map of Water District No. 1	II
Map of Water District No. 2	III
Map of Water Districts Nos. 3 and 4	IV
Map of Water Districts Nos. 5 and 6	V
Map of Water District No. 7	VI
Map of Water District No. 8	VII
Map of Water District No. 9	
Map of Water District No. 10	
Map of Water District No. 14.	
Map of Water District No. 15	
Map of Water District No. 16	XII
Map of Water District No. 22.	XIII
Map of Water District No. 34	XIV
Graphical presentation of the daily mean discharge, in cubic feet per	
second, of	
the Cache la Poudre river	XL
the Arkansas river	XVI
the South Platte River	XVII
Clear Creek	XVIII
St. Vrain creek	XIX
Bear creek	XX
Boulder creek	XXI
Big Thompson creek	XXII
South Boulder creek	XXIII
Graphical presentation showing the seepage of	*******



DRAINAGE MAP Showing Water Divisions. Water Districts STATE ENGINEERS OFFICE SEDGWICK. PHILLIPS 58 WASHINGTON R O BASTO A IN'C DOUGLAS GUNNISONCHA 83 F) E E (12 OT ERO CUSTEB. SAN MIGUE 10.2 30 ON 15 2-1 L.M. Conningham Assertant G.B. Gratter State Engineer










Water Districts Nos. 3 and 4,

IN SOUTH PLATTE DIVISION (No. I,)

STATE OF COLORADO.

ISSUED FROM THE STATE ENGINEER'S OFFICE, NOVEMBER 1, 1894.

Plat of Districts Nos. 3 and 4 prepared from Plats in State Engineer's Office





Water Districts Nos. 5 and 6,

IN SOUTH PLATTE DIVISION (No. 1,)







Portion of Water District No. 8.

IN SOUTH PLATTE DIVISION (No. 1,)

STATE OF COLORADO.
ISSUED FROM THE STATE ENGINEER'S OFFICE, NOVEMBER 1, 1894.

35 38 831	38 33 36 35 36	32 15 PH. 15	31 38 33 34 35 36 31	y 32 14 35 36	31 32 33 34 35 36	
5 (1,000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		6 5 4 3 2 1 6	3 2 1	6 5 4 3 2 1	
11 12 7	8 63 5 10 11 15	1 1 12	7 8 9 10 REIGHTIN	G 8 2 10 11 12	7 8 9 10 11 12	
14 13 16	17 16 15 14 13	18 17 153	18 8 17 16 NORTHERN 14 13 18	3 17 16 15 14 13	18 17 16 15 14 13	
23 % 24 19	20 Con Record Santager 1	SANTERS OF PILOTES SANTERS OF PARTY SANT	19 2 21 22 23 24 19	20 21 22 23 24	19 20 21 22 23 24	T. 4 S,
26 25 30	Carlos I During with the William	30 29 638 27 3 26 25	30 23 20 27 26 25 3	0 29 28 27 26 25	30 Z9 Z8 Z7 Z6 Z5	
36 31	11 12 12 13 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	31 32 36 35 36	35 35 35 36 31	32 33 36	31 (32 33 (34 35 36	
	5. 4 3 2 II		E 1 3 2 1 6	5 4 3 2 1	6 5 4 3 2 1	
7	9 10 II 12	10 12 12	8 9 10 72 12 7	9 10 11 12	7 8 9 10 11 12	
	17 (3) 15 14 13	18 LITTLETON TO	19 17 576 15		18 17 16 15 14 13	14.4
			19 20 219 22 23 24	20 21 22 23 24	19 20 21 22 23 24	T.5 S.
25 30	25 28 27 26 25	30/-1/2/0 28 27 26 25	30 29 28 77 25 23	25/2 28 27 26 25	20 29 28 27 26 25	
31	32 75 34 35 365	32 33 34 4 35 36	31 32 33 34 35 86 3	33 24 35 36	31 32 33 34 35 36	
	St. 5 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	5 Starks Qulch 2	6 2 4 3 2	5 4 3 2 1	6 5 4 3 2 1	
	11)	8' 9 10 II 12	7 9 10 11 3 12	7 8 10 11 12	7 8 9 10 11 12	
The state of the s		ACEOUIA 16 15 14 13	18, 17 18 19 13 13 13	8/0 15 14 13	18 17 16 15 14 13	TEC
		19 21 25 23 24	19 20 21 22 23 24 CANAL	20 21 22 23 24	19 20 21 22 23 24	T: 6 S.,
20 Sept of the sep	25	30 28 27 26 25	30 29 28 27 26 25	27 26 25	30 29 28 27 26 25	
	35	31 32 23 39 35 36	31 32 33 34 35 36 3	A 32 33 S 35 36	31 (32 33 35 35 36	
7	The same of the sa	6 5 4	6 5 4 3	6 5 9 3 2 1	6 5 4 3 2 1	
10 III CONTROLLED	10	10 II O II		7 9 HANTIO LEWIS 11 12	7 8 9 10 11 12	
Tone of the state	8 / Lagring 13	17 16 18 14 PM 13	18 17 16 15 14 13 P	18 17 796 8 14 13	18 17 16 15 14 13	T. 7 S.
	The same same same same same same same sam	19 20 3 22 25 13,24	13 20 27 23 24	19 20 21 22 23 24	13 20 21 22 23 24	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Mindle State	29 20 20 20 20 20 20 20 20 20 20 20 20 20	26 7 30	39 29 20 27 86 25/3	29 28 27 26 25	30 29 28 27 26 25	
	mine mine and a second	35 37 37 35 35	31 32 73 36 36	31 32 33 34 35 36	31 32 33 34 35 36	
R.70W.	R, 69 W.	R. 68W.	R: 67 W	R.66W.	R. 65 W.	1



Irrigated Portion of Water District No. 9.

IN SOUTH PLATTE DIVISION (No. 1,)

STATE OF COLORADO.
ISSUED FROM THE STATE ENGINEER'S OFFICE, NOVEMBER 1, 1894.





* PLAT OF ** Water District No. 10.

ARKANSAS DIVISION (NO. 2.)


STATE OF COLORADO.
ISSUED FROM THE STATE ENGINEER'S OFFICE, NOVEMBER 1, 1894.



That Portion of Water District No.14.

ARKANSAS DIVISION (NO. 2.)
LYING IN PUEBLO COUNTY, STATE OF COLORADO.

ISSUEO FROM THE STATE ENGINEER'S OFFICE, NOVEMBER 1, 1894.



F-= PLAT OF ====

Irrigated Portion of Water District No. 15.


ARKANSAS DIVISION (NO. 2.)

STATE OF COLORADO.

ISSUED FROM THE STATE ENGINEER'S OFFICE, NOVEMBER 1, 1894


initianienii.		mani.	Minilità 3	RHIMI	100000000000000000000000000000000000000	res.																D.				. K**		Carried States					N			
				,	*,11111/1/11 1	,	5	•	3	,	,	đ	5		3	a a	,	ø	5	-	12		140			ARK	,				TW 4	1	· E	W.		
9 /7			"	"	10	,	8	,	16	"	12	r	,	,	10	"	14	7	•	,	2000			Z	a	3	13	"	The state of the s		B	9	16	11	16	
		16	1.5	14	į.j.	10	19	16	16	14	13	18	/7	78	18	14	/3	18	,0/	16	15	COS aut	1 13	18	17	116	18	"/) IIS	18	1	11	15	14	13	
, 20		"	22	es	£4	12	20	£1	4.2	23	11	13	2.0	£1	**	25	24	24	20	21	ee.		24	1	20	# S	70V	\\e_3	28	19	-1	21	10	es	14	T; 21
27		20	27	26	21	31	O	2.0	67	41	26	JP P		24	27	26	ps	34	23	**	27	S Pute	71	30	فراه	11	1	26	25	**		20	27	21	45	
,		9.5	38	a5	gs	æ	32	32		6.6	da	57	32	3.9	39	36	31	31	32	33	50.	100		3, 6	1/33	6,	3	36	Já	31	3	33	34	35	34	
5		-	J		,	4	£	1	و		,	•	<i>s</i>		3		,	1	1	,	9 /	2		汉	\&	1.	1		,	4		+	J	ż	,	
8		,	10	"	12	,	•	,	10	"	12	, 91	y 26	9	10	11	15	,	8	,	1	VE V	BAN CAL	101	0	,	10	"	12	7		و	. / u	"	12	
76		16	16	11	10	18	/7	/4	15	")23 /	10	er	10	"	111	jg.	16	17	16 /		1	7(10	2"	16	15	14	13	10	,,	14	18	19	/3	T; 2
- 10		1	22	23	€4 ₩	13	20	<i>31</i>	"	و کھر	24	/3	"	I on wood	ASPOY	' 3	~	13	5	K	"	<i>).</i>		/9	5		**	23	14	"		21	"	23	24	
. ,.		13	6	"	15	dy	"	n n	17	2.5	"	15	2000	110	- 17 - 10	£6	** S	~J.	n.	1500	.,	3"	15	3.5	26	28	27	"		13	2.	"	27	FK 14	25	
30		☆	54	P	27	N. Y		<u>U</u>	30	**	100	3	g ₂		, (E	<i>''</i> /	34	31	1	33	34 <u>\$</u> //)"	(O)	31	32	16	31	(C	30/4	31	32	<u></u>	٥	./5	16	
	>-		- ئ <i>ن</i> ہ	37	1/2		J. O. T.	T.	73 F By	,	′	•	5	•	1	?	1	1	3	1		2 3 REEMH		6	5	1	,	A		<u> </u>	•	*	•	ŕ	′	
0	1		- Sex	AV AV	<i>y</i>	7	1	Char	Te.		12	,	1	70.00	10	. "	"()	/17 L	of C	ret K			1#	7	•	,	"	1	16			,	"	"	<u>'</u>	
	>/		\$ 15 CO	14	7.3	"	~			-				16	15	11	14	Cred !		"	14		13	/*	/7	**	4	14	"	/*	17	/*	/6	23	1.5 e.4	T. 2
2 (2)		44	27	775	24 /	05A68		French	Sec	515	روز	98	21	**	"	25	31	3,0	20	21	27		24	30	es pgt	A.	27	25	26	12	47	21	27	26	15	
1.	\	99		SICE	34	9/01/2	50' /	AIBIT. A	1	33	15		Cr. Ordinal	ckea ss	<u></u>		.,	3 7	32	30	34		2.	31	1	95	54	95	36	21		23	34	3 &	36	
wie s		•	South	11601.25		ه ا مارد	3	4	9	1/2	,	•	~~~			}	,	A	6	1 2	23:1:9	#	1		7,		g	*	,		å		9	,	,	
	// ,	STOR		"	12	7	8	9	10	"	10	7	J	3/	A	"	12	[] [] [] [] [] [] [] [] [] []	OFF		ALT OF	WEH !	12	N.		,	10	"	14	7	8	9	10	"	1,	
34	/ / /	7	15	~	1	18	17/	1,	15	14	sold.		-K/	11,5	Vs.	14	13 (18	1	7,,	316	14	-	10	17	/0	15	14	/5	18	17	18	15	14	13	
A de		William 2	"	23	1	-4-	100	21	22	Jan.			ROW	(e)	20	LL	24	15) 20 /	21/	ee	es	121	16	29	el	2.6	ર ક	24	"	,,	£1		2.	21	T, 2
	The state of the s		5 er	į"	14	100 m	2		- General	Apple America	TT SEE	31	5	20	,,	45	23	ORA	WERO 9	F.	27	Je.	25	31	J1	#8	27	24	16	31	٥,	2.0	27	e.	26	
	1100 110		The T	-53	7,7	*	Te Care	3,	JA JA	95	30	51)	-17	155	"	æ1	31	3	J.	233	3	35	34	đ/	32	93	31	35	# 6	ø;	24	Je	24	11	31	

IRRIGATED PORTION OF WATER DISTRICT Nº22 RIO GRANDE DIVISION (Nº3) STATE OF COLORADO Issued from the STATE ENGINEERS OFFICE NOV. 15 1894. T 35N. Propured from Plats in State Engineer's Office T.34 N. T. 33 N. BARNETI OITON T. 32 N. RIO E LATIERAL R.11 E. R. 7-E. R. 8 E.



PRESENTATION Ganging Station No 2 Represents 1890 of the duity mean discharge, in cubic feet per second, of Established on Arkansas River at Pueblo May 31886 THE ARKANSAS RIVER. near Pueblo June #1887 Canon City May 8 " 1888 STATE OF COLORADO. MARGH AFGEST 3500 . 3300 · 3100 + 3000 . 2900 . 27.00 2500 % 2500 . 2300 . 2200 . . 0015 . 0005 +600 . 1500 # 1400 . 1300 . 1200 4 1100 1000 . 900 . 800 700 s 600 . 500 +00 300 200 100 00 CULFEET

PLATE XVIII. GRAPHICAL PRESENTATION of the daily mean discharge, in cubic feet per second, of Gauging Station No 4 Represents 1887 CLEAR CREEK: Established on Clear Creek Aug Jo 1887 From May 27"to July 17" 1888 discharge as shown is appreximate only STATE OF COLORADO. For the Seasons of 1887, -1888



GRAPHICAL PRESENTATION of the daily mean discharge, in cubic feet per second, of Cauging Station Nº 29. SOUTH BOULDER CREEK Established on South Boulder Creek Apr 1888 STATE OF COLORADO. 16 4 0 1 240 240 220 220 200 180 160 140 120 100 80 60 The sales. Languages



